

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	4036	719/310,313-316,318,320, 328-330.ccls.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2005/06/18 06:21
S2	681	S1 and ((serializ\$6 initializ\$6 re\$1initializ\$6) with object\$1)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2005/05/03 13:28
S3	103	S2 and (object adj2 (manager\$1 controller\$1))	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2005/05/02 15:45
S4	93	S3 and (object\$1 with reference\$1)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2005/05/02 15:45
S5	4039	719/310,313-316,318,320, 328-330.ccls.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2005/05/03 08:44
S6	5	S5 and ((re\$1initializ\$6 refresh\$3) with object\$1).ab.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2005/05/03 09:57
S7	84	S5 and ((re\$1initializ\$6 refresh\$3) with object\$1)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2005/05/03 08:56
S8	67	S7 and (object\$1 with reference\$1)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2005/05/03 08:56
S9	155	((re\$1initializ\$6 refresh\$3) with object\$1).ab.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2005/05/03 09:42

S10	11	S9 and (object\$1 near3 (manager\$1 controller\$1)) and (object\$1 near5 reference\$1)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2005/05/03 09:43
S11	21	S9 and (object\$1 near3 (manager\$1 controller\$1))	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2005/05/03 09:47
S12	38	S9 and (object\$1 near5 reference\$1)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2005/05/03 09:49
S13	32	((re\$1initializ\$6 refresh\$3) with object\$1) same (object\$1 adj3 (manager\$1 controller\$1))	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2005/05/03 10:07
S14	181	((re\$1initializ\$6 refresh\$3) with object\$1) same (object\$1 with (manager\$1 controller\$1))	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2005/05/03 10:07
S15	77	S14 and (object\$1 with reference\$1)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2005/05/03 10:07
S16	2671	(object\$1 with (manager\$1 controller\$1)) and ((serializ\$6 initializ\$6 re\$1initializ\$6 re\$1fresh\$5) with object\$1)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2005/05/03 10:33
S17	930	S16 and (object\$1 with register\$3)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2005/05/03 10:33
S18	727	S17 and (object\$1 with reference\$1)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2005/05/03 10:34
S19	158	S18 and "719"/\$.ccls.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2005/05/03 10:35

S20	70	S18 and "717"/\$.ccls.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2005/05/03 10:35
S21	196	((re\$1serializ\$6 refresh\$3 re\$1allocat\$3 re\$1initializ\$6) with object\$1).ab.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2005/05/03 13:31
S22	32	S21 and (object\$1 with (manager\$1 controller\$1))	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2005/05/03 13:29
S23	201	((re\$1serializ\$6 refresh\$3 re\$1allocat\$3 re\$1initializ\$6 re\$1initiat\$5) with object\$1).ab.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2005/05/03 13:31
S24	292	(object\$1 adj2 (manager\$1 controller\$1)) same register\$3	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2005/05/03 15:10
S25	13	S24 and ((request\$3 signal\$1) with (refresh\$3 re\$1initial\$6 re\$1initiat\$3 re\$1serialz\$5))	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2005/05/03 14:49
S26	20	S24 and ((object\$1 component\$1) with (refresh\$3 re\$1initial\$6 re\$1initiat\$3 re\$1serialz\$5))	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2005/05/03 14:49
S27	743	(object\$1 adj2 (manager\$1 controller\$1)) and (object\$1 with register\$3)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2005/05/03 15:11
S28	138	S27 and (request\$3 with (refresh\$3 updat\$3) with object\$1)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2005/05/03 15:11
S29	118	S28 and (object\$1 with reference\$1)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2005/05/03 15:12

S30	32970	((updat\$3 refresh\$3 re\$1activ\$6 re\$1initiliz\$6) with object\$1)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2005/05/05 10:27
S31	2898	S30 and (register\$3 with object\$1)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2005/05/05 10:28
S32	306	S31 and "719"/\$.ccls.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2005/05/05 10:28
S33	215	S31 and "717"/\$.ccls.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2005/05/05 10:08
S34	508	S31 and "709"/\$.ccls.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2005/05/05 10:08
S35	62	S32 and (object adj2 (manager\$1 controller\$1))	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2005/05/05 10:10
S36	33	S33 and (object adj2 (manager\$1 controller\$1))	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2005/05/05 10:10
S37	81	S34 and (object adj2 (manager\$1 controller\$1))	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2005/05/05 10:10
S38	1855	((updat\$3 refresh\$3 re\$1activ\$6 re\$1initiliz\$6) near5 (object\$1 component\$1)) and ((object\$1 component\$1) adj2 (manager\$1 controller\$1))	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2005/05/05 10:27
S39	435	S38 and (register\$3 with object\$1)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2005/05/05 10:28

S40	79	S39 and "719"/\$.ccls.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2005/05/05 10:28
S41	45	S39 and "717"/\$.ccls.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2005/05/05 10:55
S42	129	S39 and "709"/\$.ccls.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2005/05/05 10:28
S43	40	S41 and ((object\$1 component\$1) near4 (reference\$1 link\$1))	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2005/05/05 10:55
S44	114	S42 and ((object\$1 component\$1) near4 (reference\$1 link\$1))	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2005/05/05 11:02
S45	37	S41 and ((object\$1 component\$1) near4 reference\$1)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2005/05/05 10:56
S46	107	S42 and ((object\$1 component\$1) near4 reference\$1)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2005/05/05 10:56
S47	837	717/168-173.ccls. and ((software object\$1 module\$1) with (updat\$3 upgrad\$ re\$1creat\$3 re\$1initia\$))	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2005/05/10 09:57
S48	255	S47 and ((identif\$ track\$3) with (reference\$1 access\$2 call\$1))	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2005/05/10 09:58
S49	14	S48 and ((object\$1 component\$1) adj2 (manager\$1 controller\$1))	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2005/05/10 09:53

S50	420	717/168-173.ccls. and ((component\$1 object\$1) with (updat\$3 re\$1fresh\$3 re\$1creat\$3 re\$1initia\$))	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2005/05/10 09:57
S51	92	S50 and ((identif\$ determin\$3) with (reference\$1 access\$2 call\$1) with (object\$1 module\$1 component\$1))	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2005/05/10 10:51
S52	16354	((refresh\$3 updat\$3 re\$1initia\$) with (information data state\$1) with (object\$1 component\$1))	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2005/05/10 10:52
S53	1627	S52 and ((identif\$3 determin\$3) with reference\$1 with (object\$1 component\$1))	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2005/05/10 11:01
S54	89	S53 and (register\$3 with (object\$1 component\$1) with (manager controller\$1))	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2005/05/10 11:01
S55	3277	S52 and ((identif\$3 determin\$3) with (reference\$1 connection\$1 use using) with (object\$1 component\$1))	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2005/05/10 11:02
S56	147	S55 and (register\$3 with (object\$1 component\$1) with (manager controller\$1))	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2005/05/10 11:02
S57	2310	S52 and ((identif\$3 determin\$3) with (connection\$1 use using) with (object\$1 component\$1))	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2005/05/10 11:02
S58	127	S57 and (register\$3 with (object\$1 component\$1) with (manager controller\$1))	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2005/05/10 11:02
S59	4147	719/310,313-316,318,320, 328-330.ccls.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2005/06/17 11:18

S60	1423	S59 and ((re\$1initializ\$5 refresh\$3 updat\$3) with (object\$1 component\$1 application\$1 program\$1))	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2005/06/17 11:29
S61	715	S59 and ((re\$1initializ\$5 refresh\$3 updat\$3) near5 (object\$1 component\$1))	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2005/06/17 11:19
S62	161	S61 and ((maintain\$3 los\$6) with (connection\$1 reference\$1))	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2005/06/17 11:29
S63	120	S62 and register\$3	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2005/06/17 11:27
S64	142	S59 and ((re\$1initializ\$5 refresh\$3) with (object\$1 component\$1 application\$1 program\$1))	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2005/06/17 11:29
S65	30	S64 and ((maintain\$3 los\$6) with (connection\$1 reference\$1))	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2005/06/17 11:29
S66	16695	((refresh\$3 updat\$3 re\$1initializ\$5) with (data information state\$1) with (object\$1 component\$1))	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2005/06/18 06:22
S67	2143	S66 and (maintain\$3 with (connection\$1 reference\$1))	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2005/06/18 06:23
S68	625	S67 and (register\$3 with (object\$1 component\$1))	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2005/06/18 06:23
S69	398	S68 and ((request\$1 message\$1 signal\$1) with (refresh\$3 updat\$3 re\$1initializ\$5))	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2005/06/18 06:24

S70	309	S69 and ((state status) with (object\$1 component\$1))	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2005/06/18 06:37
S71	5	S70 and 717/168-173.ccls.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2005/06/18 06:42
S72	27	S70 and "717"/\$.ccls.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2005/06/18 06:57
S73	42	S70 and "719"/\$.ccls.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2005/06/18 06:57